JV2 VENTAN Å						Appendix A: VENTANA HER2 Dual ISH DNA Probe Cocktail Scoring Form																				
1. Case ID / Patient ID:													.  Yes-Proceed to #3 No-Skip #3. Proceed to #4						3. Is tumor heterogeneity present?       3a. Yes, Skip #4. Proceed to #5.         3b. No, Skip #4. Proceed to #5.							
4. This case is not enumerable because mark ALL that apply):						4a. There was no tissue left on the ISH stained slide						4b. There was no invasive carcinoma in tissue on the ISH stained slide					4c. Nuclear Morphology is unacceptable; unable to distinguish tissue structural elements of normal cells from those of target carcinoma cells.						4d. ☐ Background unacceptable, interferes with scoring ISH stained slide ☐HER2 ☐Chr 17			
4e. Internal Control signal not detectable						4f. Weak/absent ISH staining in target cells, unable to score HER2 Chr 17						4g. 🗌 Other (specify):														
	5. Enumerate Target Area 1: Count HER2 signal and Chr17 signal in each of 20 nuclei. Add the HER2 signal counts. Add the Chr 17 counts. Create the gene status ratio by dividing the TOTAL HER2 signal count by the TOTAL Chr 17 signal count. Round to .1 decimal place. Document whether clusters of signals were counted. SIGNAL COUNT TARGET AREA 1 – 20 nuclei																									
	5a         5b         5c         5d         5f         5g         5h         5i         5j         5k         5l         5u         5v         5w         5x         Comments													-												
	01	02	03	<b>04</b>	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	TOTAL	RATIO		rs Present?		5
HER2																							Yes No			
Chr17																							🗌 Yes 🗌 No			
6. Result from 20 nuclei:       6a.       Non- amplified: HER2/Chr17 < 2.0       or       6b.       Amplified: HER2/Chr17 ≥ 2.0         If the HER2/Chr17 ratio falls between 1.8 and 2.2 then 20 additional nuclei should be enumerated.																										
7. Enumerate Target Area 2: Count HER2 signal and Chr17 signal in each of 20 nuclei. Add the HER2 signal counts. Add the Chr 17 counts. Document whether clusters of signals were counted.																										
					SIGN	IAL C	OUN	T TAR	GET	AREA	2 – 2	2 <sup>nd</sup> 20	nucle	i	(if tar	get a	rea 1	ratio	is 1.8	- 2.2)	)					
	7a	7b	7c	7d	7e	7f	7g	7h	7i	7j	7k	71	7m	7n	70	7р	7q	7r	7s	7t	7u		7v	7w	7w Comments	
	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	TOTAL		Clusters Present?			
HER2																						🗌 Yes 🗌 No				
Chr17																						🗌 Yes 🗌 No		_		
8. Result from all 40 nuclei:																										
8a. Targe	8a. Target Area 1 HER2 Total + Target Area 2 HER2 Total = Total HER2 count (from box 5u) (from box 7u)																									
0	1 1	4.00		`			,	<b>F</b>	Δ	0.01	47 T	``			,		>h4 <del>-</del> 7					•	<b>-</b>		-1.05-47	
8b. Target Area 1 Chr17 Total         + Target Area 2 Chr17 Total         = Total Chr17 count         8c. Ratio: Total HER2 / Total Chr17           (from box 5u)         (from box 7u)         • • • • • • • • • • • • • • • • • • •																										
8d. Final	Resu	lt fror	n 40 r	nuclei	: [		on- ar	nplifie	d: HE	R2/Ch	nr17 <	2.0	or		Amp	lified:	HER2	2/Chr	≥ 2.0							

Scored by: \_\_\_\_\_